



# Elk River<sup>®</sup>

*Personal Fall Protection*

Made in USA

Personal  
Fall  
Protection



Quality.  
Safety.  
Tradition.

Safety just got stronger.  
Protecting you just got easier.



## Quality. Safety. Tradition.

Our investment and commitment in **Quality** work is to translate into productive fall protection. We strive to provide for the safe working fields that meet customer demands. We have expanded our facilities, enjoying over three decades of business in **Safety**. Elk River's focus has always resulted in **Tradition** and growth. Leading to each expansion -- Our primary aim is to gain the physical space needed, to bring products to life and customers to safety.



**Elk River**<sup>®</sup>  
Personal Fall Protection



## Memberships / Trade Groups



**EAGLE** Registrations Inc.  
SERVICE • INTEGRITY • VALUE

Elk River is an ISO 9001:2015 registered company.



**NETPLUS** ALLIANCE  
BRINGING SUPPLIERS & DISTRIBUTORS TOGETHER



AMERICAN SOCIETY OF  
**SAFETY PROFESSIONALS**



# TABLE OF CONTENTS

**Harnesses** . . . . . Pg. 3-20

find your safety ...

**Connecting Devices** . . . . . Pg. 22-33

**Anchorage** . . . . . Pg. 35-41

**Kits** . . . . . Pg. 42-43

**Rescue & Confined Space** . . . . . Pg. 44-45

**Accessories** . . . . . Pg. 46-49

**DEWALT**® . . . . . Pg. 50-51

**Index** . . . . . Pg. 52-54

\*Product colors may vary without notice



P. O. Box 1770, Cullman, AL 35056-1770  
256.739.5959 • 800.633.3954 • 256.739.3105 fax  
www.elkriver.com • sales@elkriver.com





1. Pick the harness up by the dorsal D-ring. Give the harness a gentle shake to help orient all the straps and connection points. Check to ensure the harness is not tangled before moving on to step two.



2. Ensure that all connections are unfastened and put the harness on like you would a jacket. The dorsal D-ring should be between your shoulder blades.



3. Reach between your legs grabbing one leg strap and pull it back through your legs and connect. Repeat this process with the other leg strap. Check to ensure that your leg straps are not twisted, crossed or tangled. When your leg straps are properly adjusted, you should be able to put 2-3 fingers between your body and straps.



4. Connect your chest strap. The chest strap should be across your chest even with the nipple line or approximately 6 inches below your shoulders. If your harness is equipped with torso adjusters, now is the time to adjust them for improved comfort and mobility. The harness should fit snugly, but not tight.



5. If your harness has a belt connection, connect it now. Once you have made all the connections and adjusted your harness for proper fit, you are good to go. It may be necessary to readjust your harness throughout the day.

## HOW TO DON A HARNESS



### HOW TO MEASURE FOR A FULL BODY HARNESS (measurements are over clothing)

Proper fit is critical for personal safety & working comfort. The chart below specifies how to measure your body for the correct fit of Fall Protection Equipment.

SIZE	WAIST MEASUREMENT INCHES	WAIST MEASUREMENT CENTIMETERS
S	32-40	80-100
M	36-44	90-110
L	40-48	100-120
XL	44-52	110-130
2XL	48-56	120-140
3XL	52-60	130-150

sizing chart for full body harnesses with integral waistbelt

### USA INDUSTRY SYMBOLS



Fall Arrest



Positioning



Suspension



Fall Prevention



Retrieval



Ladder Climbing



# Platinum Oil Rigger SERIES

Harnesses

- Four D-rings: One 12" extended D-ring at center of back for easy attach/detach at shoulder
- Quick-connect buckle on chest and tongue buckle leg straps
- Padded adjustable shoulder straps
- Five-inch backpad
- Padded soft seat with removable aluminum bar in saddle

**ORDER NOW!**

**Platinum Oil Rigger**

**Platinum Oil Rigger**

SIZES	PART NUMBER
S	67471
M	67472
L	67473
XL	67474
2XL	67475



**EXTENDED D-ring CENTER OF BACK**

**FLEX-NoPac (35477)  
Energy Absorbing Lanyard  
(sold separately - pg. 24)**



Harnesses

Connecting Devices

Anchorage

Kits

Rescue & Confined Spaces

Accessories





# Peregrine RAS Platinum

MOST POPULAR TOWER HARNESS!

- Six D-rings: Aluminum angled D-ring at back, two on hips, two aluminum D-rings on seat, one steel D-ring on chest strap
- Aluminum Quick-connect buckle on chest and tongue buckle on leg straps
- Breathable padding on back/shoulder, waist, bar seat, and leg straps
- Pull down adjusters on shoulder straps
- Five-inch backpad with accessory rings
- Removable tool belt
- Removable adjustable seat
- Small and Medium have 14" seat
- Large-2x have 16" seat

## Platinum Series

SIZES	PART NUMBER
S	67631
M	67632
L	67633
XL	67634
2XL	67635



WIDER SEAT FOR ADDED COMFORT

SIZES	PART NUMBER
S	67641
M	67642
L	67643
XL	67644
2XL	67645



STEEL D-RING (Optional)





# Peregrine Platinum

- Six D-rings: Aluminum angled D-ring at back, two on hips, two aluminum D-rings on seat, one steel D-ring on chest strap
- Aluminum Quick-connect buckles on chest and legs
- Breathable padding on back/shoulder, waist, bar seat, and leg straps
- Pull down adjusters on shoulder straps
- Five-inch backpad with accessory rings
- Removable tool belt
- Four-inch padded seat strap with removable three-inch aluminum bar in seat

SAFETY WITH COMFORT

ORDER NOW!



SIZES	PART NUMBER
S	67601
M	67602
L	67603
XL	67604
2XL	67605

6



REMOVABLE ALUMINUM BAR IN SEAT

Kestrel Platinum



- Four D-rings: One aluminum angled D-ring at back, two aluminum D-rings on hips, one steel D-ring on chest strap
- Aluminum Quick-connect buckles on chest and leg straps
- Breathable padding on back/shoulder and leg straps
- Pull down adjusters on shoulder straps

SIZES	PART NUMBER
S-L	67498
L-XL	67499

4



- Harnesses
- Connecting Devices
- Anchorage
- Kits
- Rescue & Confined Spaces
- Accessories







**QUICK CONNECT  
ON CHEST  
& LEGS**

**BACK D-RING**



QUICK CONNECT  
ON CHEST & LEGS



BELT

- Three D-Rings: aluminum angled D-rings at back and on hips
- Aluminum Quick-connect buckles on chest and legs
- Breathable padding on back/shoulder, waist and leg straps
- Pull down adjusters on shoulder straps
- Five-inch backpad
- Removable tool belt

## Raven Platinum

SIZES	PART NUMBER
S	67301
M	67302
L	67303
XL	67304
2XL	67305



**TONGUE  
BUCKLE  
LEGS**



**TONGUE BUCKLE**

**ORDER  
NOW!**

- Three D-Rings: aluminum angled D-rings at back and on hips
- Aluminum Quick-connect buckles on chest and tongue buckles on leg straps
- Breathable padding on back/shoulder, waist and leg straps
- Pull down adjusters on shoulder straps
- Five-inch backpad
- Removable tool belt

## Raven Platinum EX

SIZES	PART NUMBER
S	67311
M	67312
L	67313
XL	67314
2XL	67315





# Raven Tower

- Six Connection Points: Five Aluminum D-rings; angled D-ring on back, two on hips, two D-rings on seat, One D-ring on chest strap
- Aluminum Quick-connect buckle on chest and tongue buckle on leg straps
- Breathable foam mesh, and leg straps
- Breathable Padding on waist and bar seat
- Pull down adjusters on shoulder straps
- Five-inch backpad with accessory rings
- Removable adjustable seat
- Hydrophobic webbing (water proof) Small and Medium have 14" seat, Large-2X have 16" seat

OUR  
LIGHTEST  
TOWER  
HARNESS  
AVAILABLE



SIZES	PART NUMBER
S	67661
M	67662
L	67663
XL	67664
2XL	67665



CHEST D-RING



ALUMINUM BACK D-RING

- Harnesses
- Connecting Devices
- Anchorage
- Kits
- Rescue & Confined Spaces
- Accessories



# Eagle SERIES

- Six D-rings: at back, hips, chest, and shoulders
- Cross-over design for added comfort
- Quick-connect buckles for leg straps
- Mating buckles at torso
- Torso adjusters
- X brace D-ring stabilizer on back
- No tangle design for easy donning
- Removable tool belt

SIZES	PART NUMBER
S	62631
M	62632
L	62633
XL	62634
2XL	62635



## Eagle X2



- Six D-rings: at back, hips, chest, and seat
- Quick-connect buckle on chest strap
- Five-inch backpad with accessory rings
- Pull down adjusters on shoulder straps
- Oversized Y backpad
- Tongue buckles on leg straps
- Removable tool belt
- Extra long five-inch padded soft seat

SIZES	PART NUMBER
S	66611
M	66612
L	66613
XL	66614
2XL	66615
3XL	66616



## Eagle Tower





# Eagle SERIES

- Six D-rings: at back, hips, chest, and seat
- Quick-connect buckle on chest strap
- Tongue buckles on leg straps
- Comfort padding at back/shoulder
- Five-inch backpad with accessory rings
- Removable tool belt
- Aluminum bar in seat

SIZES	PART NUMBER
S	66621
M	66622
L	66623
XL	66624
2XL	66625
3XL	66626



Eagle Tower LX



- Three D-rings: at back, hips
- Mating buckle on chest, tongue buckle shoulders & leg straps
- Padded and Adjustable shoulder straps
- Removable tool belt
- Padded backpad

SIZES	PART NUMBER
S	65321
M	65322
L	65323
XL	65324
2XL	65325
3XL	65326



Iron Eagle



Harnesses

Connecting Devices

Anchorage

Kits

Rescue & Confined Spaces

Accessories





# Eagle SERIES

**ORDER NOW!**

- Three D-rings: at back and hips
- Mating buckle on chest strap
- Tongue buckles on leg straps
- Shoulder adjusters
- Padded shoulders
- Six-inch backpad
- Removable tool belt

SIZES	PART NUMBER
S	62311
M	62312
L	62313
XL	62314
2XL	62315
3XL	62316



**Eagle Lite**



- Four D-rings: at back, hips, chest
- Quick-connect buckle on chest and leg strap
- Adjustable shoulder straps
- Large comfort D-ring slider on back
- Leg pads

SIZES	PART NUMBER
S-L	62432
L-XL	62434



**Wind Eagle**







- Three D-rings: at back and hips
- Quick-connect buckles on chest and leg straps
- Tongue buckle shoulder adjusters
- Padded shoulders
- Five-inch backpad
- Removable tool belt
- Reflective trim

SIZES	PART NUMBER
S	97111
M	97112
L	97113
XL	97114
2XL	97115
3XL	97116



## FireFly Platinum



Harnesses

Connecting Devices

Anchorage



- Three D-rings: at back and hips
- Quick-connect buckles on chest and leg straps
- Tongue buckle shoulder adjusters
- Padded shoulders
- Five-inch backpad
- Removable tool belt

SIZES	PART NUMBER
S	97101
M	97102
L	97103
XL	97104
2XL	97105
3XL	97106



## Onyx Platinum



Kits

Rescue & Confined Spaces

Accessories





# Work Master® SERIES

you're not protected, if you're not connected...

Work Master®



Work Master®

SIZES	PART NUMBER
S	75301
M	75302
L	75303
XL	75304
2XL	75335
3XL	75336
4XL	75337

- Three D-rings: at back and hips
- Mating buckle on chest strap
- Tongue buckles on leg straps
- Shoulder adjusters
- Padded shoulders
- Removable tool belt
- 4" flexible backpad





### Tower Master



- Four D-rings: at back, hip, & chest
- Quick connect buckle on chest
- Tongue buckles on leg straps
- Padded adjustable shoulder straps
- Removable tool belt
- 4" flexible backpad

SIZES	PART NUMBER
S	75421
M	75422
L	75423
XL	75424
2XL	75425
3XL	75426



Harnesses

Connecting Devices

Anchorage

Kits

Rescue & Confined Spaces

Accessories



# Work Master<sup>®</sup> SERIES


Harnesses

we believe in keeping you safe ...

- Four D-rings: One 12" extended D-ring at center of back for easy attach/detach at shoulder
- D-ring at lower back
- D-rings on saddle with snaps
- Mating buckles on chest strap
- Tongue buckles on leg straps
- Padded shoulders
- 4" flexible backpad at waist and saddle

## Oil Rigger

SIZES	PART NUMBER
S	76471
M	76472
L	76473
XL	76474
2XL	76475
3XL	76476



BACK PAD



FRONT D-rings



12" D-ring EXTENSION





# Freedom<sup>®</sup> SERIES

## Harnesses

- One D-ring: at back or three D-rings at back and hips
- Mating buckles at chest strap
- Tongue buckle on leg straps
- Shoulder adjuster
- Flexible shoulder straps



Freedom<sup>®</sup> Flex



SIZES	PART NUMBER	
(One D-ring)	M-2XL	47149
(Three D-ring)	M-2XL	47349

- 1
- 3

Freedom<sup>®</sup>

SIZES	PART NUMBER	
(One D-ring)	M-2XL	47169
(Three D-ring)	M-2XL	47369

- 1
- 3



Freedom<sup>®</sup> Flex QC

- One D-ring: at back or three D-rings at back and hips
- Quick-connect buckles at chest and leg straps
- Shoulder adjuster
- Flexible shoulder straps

Harnesses

Connecting Devices

Anchorage

Kits

Rescue & Confined Spaces

Accessories





# Specialty Harness


## BRIDLE

- Nylon & Polyester webbing
- Forged steel snaphooks
- Shoulder width separation for additional comfort, 3600 lbs gate snaphooks

- Five D-rings: at back, hips, and shoulders
- Mating buckle on chest strap
- Tongue buckles on leg straps
- Shoulder adjusters

25999

Universal Retrieval



SIZES	PART NUMBER
One size fits most M-2XL	42559



SHOULDER D-ring





# Universal SERIES

- One or three D-ring option
- Mating buckle on chest strap
- Tongue buckles on leg straps
- Shoulder adjusters



SIZES	PART NUMBER
One size fits most	
(One D-ring) M-2XL	42159
(Three D-ring) M-2XL	42359



Universal



- One or three D-ring option
- Mating buckle on chest and leg straps
- Shoulder adjusters



SIZES	PART NUMBER
One size fits most	
(One D-ring) M-2XL	42109
(Three D-ring) M-2XL	42309



**Bag Available**  
Accessories/pg. 47  
#88010


- Harnesses
- Connecting Devices
- Anchorage
- Kits
- Rescue & Confined Spaces
- Accessories





# Construction Plus® SERIES

- One or three D-rings option
- Mating buckles on chest and leg straps



Construction Plus®

SIZES	PART NUMBER
-------	-------------

One size fits most	
(One D-ring) S-XL	48103
(Three D-ring) S-XL	48303



Construction Plus®



- One or three D-rings option
- Mating buckle on chest strap
- Tongue buckles on leg straps

SIZES	PART NUMBER
-------	-------------

One size fits most	
(One D-ring) S-XL	48153
(Three D-ring) S-XL	48353





# Construction Plus<sup>®</sup> SERIES

## Harnesses

### Construction Plus<sup>®</sup>

- Soft attachment at D-slider
- Mating buckles on chest and leg straps
- Fully integrated in line 6' NoPac<sup>®</sup> Energy Absorbing lanyard attached to center of back, snaphook opposite end



SIZES	PART NUMBER
One size fits most	
S-XL	48013



### Construction Plus<sup>®</sup>

- Three D-rings: 1 at back, 2 at hips
- Mating buckles at chest, Tongue Buckle leg straps
- Twin Leg Energy Absorbing lanyard 6' with rebar hooks



SIZES	PART NUMBER
One size fits most	
S-XL	48363



### Construction Plus<sup>®</sup>

- One D-ring: at back
- Mating buckles on chest and leg straps
- In-line NoPac<sup>®</sup> Energy Absorbing lanyard attached to D-ring center of back, snaphook opposite end



SIZES	PART NUMBER
One size fits most	
(4 ft.) S-XL	48112
(6 ft.) S-XL	48113



### Construction Plus<sup>®</sup>

- One D-ring: at back
- Mating buckle on chest and leg straps
- Fully integrated adjustable ZORBER<sup>®</sup> lanyard attached to D-ring center of back, snaphook opposite end



SIZES	PART NUMBER
One size fits most	
(6 ft.) S-XL	48173
(5 ft.) S-XL	48175



Harnesses

Connecting Devices

Anchorage

Kits

Rescue & Confined Spaces

Accessories






*"a synthetic fiber of high tensile strength"*



- One D-ring back/forged steel D-ring
- Steel mating buckles at chest & leg strap
- Heat & abrasion resistant webbing

SIZES	PART NUMBER
S-L	95102
L-XL	95104
2X-3X	95106



PART #	DESCRIPTION	MATERIAL	CONNECTORS	STANDARD
95004 (pic. featured)	1-3/4" x 4'	Kevlar® blend Web	Snaphook each end	ANSI Z359.3
95006 (listed only)	1-3/4" x 6'	Kevlar® blend Web	Snaphook each end	ANSI Z359.3
95016 (pic. featured)	6'	Kevlar® blend Web	Snaphook each end	ANSI Z359.13
95026 (listed only)	6'	Kevlar® blend Web	Snaphooks/Twin-leg	ANSI Z359.13
95046 (listed only)	6'	Kevlar® blend Web	Snaphooks/Rebar hook	ANSI Z359.13
95047 (pic. featured)	6'	Kevlar® blend Web	Snaphooks/Twin-leg/Rebar hook	ANSI Z359.13
95740 (pic. featured)	1-3/4" x 14'	Kevlar® blend Web/Forged steel hooks	Snaphook each end/Rebar hook	ANSI Z359.3
95741 (listed only)	1-3/4" x 18'	Kevlar® blend Web/Forged steel hooks	Snaphook each end/Rebar hook	ANSI Z359.3





# FALL CLEARANCE CALCULATION

## RETRACTABLES




NOTE: Individual calculation results can vary if adding SRD Free Fall, reducing Safety Factor, height of worker, SRD Class B deceleration, etc.

### Calculating Fall Clearance Distance Using a Retractable Lifeline

- First, add the maximum deceleration distance (class A-26" / class B 54") to the average height of a worker (6 ft.).
- Then, add a safety factor of 3 ft. to allow for the possibility of an improperly fit harness, a taller than average worker and/or a miscalculation of distance.
- The total, 11' or 13.5' is the suggested safe fall clearance distance for this example.

## PERSONAL FALL ARREST SYSTEMS

Free Fall Distance+Energy-Absorber Deceleration Distance+Worker height + Safety Factor = 19 Ft. (5.8M)



NOTE: Safety Factor of 3 feet includes harness stretch and the settling of the user's body in the harness.

### Calculating Fall Clearance Distance Using a Shock-Absorbing Lanyard

- First, add the length of the energy-absorbing lanyard (6 ft.) to the maximum elongation of the energy absorber during deceleration 48" to the average height of a worker (6 ft.).
- Then, add a safety factor of 3 ft. to allow for the possibility of an improperly fit harness, a taller than average worker and/or a miscalculation of distance.
- The total, 19 ft is the suggested safe fall clearance distance for this example.

# HOW TO INSPECT LANYARD

- When inspecting lanyards, begin at one end and work to the opposite end. Slowly rotate the lanyard so that the entire circumference is checked. Spliced ends require particular attention. Hardware should be examined under procedures detailed below.

### HARDWARE

**SNAPS:** Inspect closely for hook and eye distortion, cracks, corrosion, or pitted surfaces. The keeper or latch should seat into the nose without binding and should not be distorted or obstructed. The keeper spring should exert sufficient force to firmly close the keeper. Keeper rocks must provide the keeper from opening when the keeper closes.

**THIMBLES:** The thimble (protective plastic sleeve) must be firmly seated in the eye of the splice, and the splice should have no loose or cut strands. The edges of the thimble should be free of sharp edges, distortion, or cracks.

### LANYARDS

**STEEL LANYARDS:** While rotating a steel lanyard, watch for cuts, frayed areas, or unusual wear patterns on the wire. The use of steel lanyards for fall protection without a energy-absorbing device is not recommended.

**WEB LANYARD:** While bending webbing over a piece of pipe, observe each side of the webbed lanyard. This will reveal any cuts or breaks. Due to the limited elasticity of the web lanyard, fall protection without the use of a energy absorber is not recommended.

**ROPE LANYARD:** Rotation of the rope lanyard while inspecting from end to end will bring to light any fuzzy, worn, broken or cut fibers. Weakened areas from extreme loads will appear as a noticeable change in original diameter. The rope diameter should be uniform throughout, following a short break-in period. When a rope lanyard is used for fall protection, a energy-absorbing system should be included.

### ENERGY-ABSORBING PACKS

The outer portion of the energy-absorbing pack should be examined for burn holes and tears. Stitching on areas where the pack is sewn to the D-ring, belt or lanyard should be examined for loose strands, rips and deterioration.





PART #	DESCRIPTION	MATERIAL	LEGS	CONNECTORS	STANDARD
35324 (listed only)	1-1/2" x 4'	Polyester Web	Single	Snaphook each end	ANSI Z359.13
35326 (pic. featured)	1-1/2" x 6'	Polyester Web	Single	Snaphook each end	ANSI Z359.13
35346 (pic. featured)	1-1/2" x 6'	Polyester Web	Twin	Snaphook each end	ANSI Z359.13



PART #	DESCRIPTION	MATERIAL	LEGS	CONNECTORS	STANDARD
35374 (listed only)	1-1/2" x 4'	Polyester Web	Single	Snaphook & Rebar hook	ANSI Z359.13
35376 (pic. featured)	1-1/2" x 6'	Polyester Web	Single	Snaphook & Rebar hook	ANSI Z359.13
35386 (pic. featured)	1-1/2" x 6'	Polyester Web	Twin	Snaphook & Rebar hook	ANSI Z359.13



# FLEX-NoPac® Lanyards

## Connecting Devices



35406



35416



*Keeping the world safe. One hook at a time.*  
**ORDER TODAY!**

PART #	DESCRIPTION	MATERIAL	LEGS	CONNECTORS	STANDARD
35406 (pic. featured)	1-1/2" x 6'	Polyester Web	Twin	Snaphook each leg & Carabiner	ANSI Z359.13
35416 (pic. featured)	1-1/2" x 6'	Polyester Web	Twin	Snaphook each end & Carabiner	ANSI Z359.13
35417 (pic. featured)	1-1/2" x 6'	Polyester/Nylon Web	Twin	Snaphook each leg & Carabiner	ANSI Z359.13
35427 (pic. featured)	1-1/2" x 6'	Polyester Web	Single	Snaphook each end	ANSI Z359.13



35417



35427



Harnesses

Connecting Devices

Anchorage

Kits

Rescue & Confined Spaces

Accessories



# FLEX-NoPac® Lanyards

Call Today! For all your Fall Protection needs...



35428



35477

PART #	DESCRIPTION	MATERIAL	LEGS	CONNECTORS	STANDARD
35428 (pic. featured)	1-1/2" x 6'	Polyester Web	Twin	Snaphook each end	ANSI Z359.13
35477 (pic. featured)	1-1/2" x 6'	Polyester Web	Single	Snaphook each end	ANSI Z359.13
35478 (pic. featured)	1-1/2" x 5'	Polyester Web	Twin	Snaphook / Rebar each end	ANSI Z359.13



35478



35488

PART #	DESCRIPTION	MATERIAL	LEGS	CONNECTORS	STANDARD
35487 (listed only)	1-1/2" x 6'	Polyester/Nylon Web	Twin	Snaphook & Rebar each end	ANSI Z359.13
35488 (pic. featured)	1-1/2" x 6'	Polyester/Nylon Web	Twin	Snaphook & Rebar each end	ANSI Z359.13
35716 (listed only)	1-1/2" x 6'	Polyester/Nylon Web	Twin	Carabiner each end	ANSI Z359.13





# ZORBER<sup>®</sup> Lanyards

## Connecting Devices

Harnesses

Connecting Devices

Anchorage

Kits


Rescue & Confined Spaces

Accessories

**ORDER TODAY!**



36263



36264



PART #	DESCRIPTION	MATERIAL	LEGS	CONNECTORS	STANDARD
36263 (pic. featured)	1" x 3'	Nylon Web	Single	Snaphook each end	ANSI Z359.13
36264 (pic. featured)	1" x 4'	Nylon Web	Single	Snaphook each end	ANSI Z359.13
36266 (pic. featured)	1" x 6'	Nylon Web	Single	Snaphook each end	ANSI Z359.13
36267 (pic. featured)	1" x 6'	Nylon Web	Twin	Snaphook each end	ANSI Z359.13



36266



36267







36356




36357

PART #	DESCRIPTION	MATERIAL	LEGS	CONNECTORS	STANDARD
36356 (pic. featured)	1" x 6'	Nylon Web	Single	Snaphook Rebar	ANSI Z359.13
36357 (pic. featured)	1" x 6'	Nylon Web	Twin	Snaphook Rebar	ANSI Z359.13
36358 (listed only)	1" x 5'	Nylon Web	Twin	Snaphook Rebar	ANSI Z359.13



36527

**ADJUSTABLE**



36528

PART #	DESCRIPTION	MATERIAL	LEGS	CONNECTORS	STANDARD
36359 (listed only)	1" x 4'	Nylon Web	Twin	Snaphook Rebar	ANSI Z359.13
36527 (pic. featured)	1" x 6'	Nylon Web	Single	Snaphook each end	ANSI Z359.13
36528 (pic. featured)	1" x 6'	Nylon Web	Twin	Snaphook each end	ANSI Z359.13



# FLEX-ZORBER® Lanyards

## Connecting Devices



PART #	DESCRIPTION	MATERIAL	LEGS	CONNECTORS	STANDARD
36806 (pic. featured)	1-1/2" x 6'	Polyester Web	Twin	Snaphook / Carabiner	ANSI Z359.13
36827 (pic. featured)	1-1/2" x 6'	Polyester/Nylon Web	Single	Snaphook each end	ANSI Z359.13
36828 (pic. featured)	1-1/2" x 6'	Polyester/Nylon Web	Twin	Snaphook each end	ANSI Z359.13
36887 (listed only)	1-1/2" x 6'	Polyester/Nylon Web	Single	Snaphook Rebar	ANSI Z359.13
36897 (pic. featured)	1-1/2" x 6'	Polyester/Nylon Web	Twin	Snaphook Rebar	ANSI Z359.13



Fall Protection at its best...

Harnesses

Connecting Devices

Anchorage

Kits

Rescue & Confined Spaces

Accessories



# Specialty Lanyards



res-Que No-Fac®  
35824



ZX-12 ZORBER®  
36026

PART #	DESCRIPTION	MATERIAL	LEGS	CONNECTORS	STANDARD
35824 (pic. featured)	1-1/4" x 4'	Polyester/Nylon Web	Single	Snaphook each end	ANSI Z359.13
35826 (listed only)	1-1/4" x 6'	Polyester/Nylon Web	Single	Snaphook each end	ANSI Z359.13
36026 (pic. featured)	1" x 6'	Nylon Web	Single	Snaphook each end	ANSI Z359.13



ZX-12 ZORBER®  
36036



Choker ZORBER®  
36936

PART #	DESCRIPTION	MATERIAL	LEGS	CONNECTORS	STANDARD
36036 (pic. featured)	1" x 6'	Nylon Web	Twin	Snaphook each leg	ANSI Z359.13
36926 (listed only)	1" x 6'	Polyester/Nylon Web	Single	Snaphook Carabiner	ANSI Z359.13
36936 (pic. featured)	1" x 6'	Nylon Web	Twin	Snaphook Carabiner	ANSI Z359.13





# Specialty Lanyards



Flex-NoPac®  
Energy Absorbing Lanyard  
35401

**ORDER NOW!**

Flex-NoPac® Energy  
Absorbing Lanyard  
Durable soft loop  
at harness connection -  
Steel snaphook at anchor -  
3/4" gate opening -



ZORBER® Tie-Back  
36941



Flex-ZORBER®  
36966

PART #	DESCRIPTION	MATERIAL	LEGS	CONNECTORS	STANDARD
35401 (pic. featured)	1-1/2" x 6'	Polyester Web	Single	Soft loop/snaphook	ANSI Z359.13
36940 (listed only)	1" x 6'	Polyester/Nylon Web	Single	Snaphook each end	ANSI Z359.13
36941 (pic. featured)	1" x 6'	Polyester/Nylon Web	Twin	Snaphook each end	ANSI Z359.13
36966 (pic. featured)	1-1/2" x 6'	Polyester/Nylon Web	Twin	Snaphook Rebar	ANSI Z359.13
36967 (listed only)	1-1/2" x 6'	Polyester/Nylon Web	Twin	Snaphook Rebar	ANSI Z359.13

Harnesses

Connecting  
Devices

Anchorage

Kits


Rescue &  
Confined Spaces

Accessories






# Cable Lanyards



11306



11506



11526



see pg. 20

*Buy together  
for your  
heavy duty  
work safety.*

cable sling  
see pg. 35

**ZORBER®**  
Energy Absorbing Cable Lanyard

PART #	DESCRIPTION	MATERIAL	LEGS	CONNECTORS	STANDARD
11306	1/4" x 6'	Vinyl coated galvanized aircraft cable	Single	Snaphook each end	ANSI Z359.13
11506	1/4" x 6'	Vinyl coated galvanized aircraft cable	Single	Snaphook, Rebar hook	ANSI Z359.13
11526	1/4" x 6'	Vinyl coated galvanized aircraft cable	Twin	Snaphook, Rebar hook	ANSI Z359.13





# Positioning Lanyards

## Connecting Devices

### Quick-Adjustable Rope Positioning / Lanyards



28013-28016



29022-29026



29432-29436

PART #	DESCRIPTION	MATERIAL	LEGS	CONNECTORS	FEATURES
28013	1/2" x 3'	Nylon Rope	Single	Snaphook each end	Positioning
28014	1/2" x 4'	Nylon Rope	Single	Snaphook each end	Positioning
28015	1/2" x 5'	Nylon Rope	Single	Snaphook each end	Positioning
28016	1/2" x 6'	Nylon Rope	Single	Snaphook each end	Positioning
29022-29026	1" x 2', 3', 4', 5', 6'	Nylon Web	Single	Centurion Snaphook each end	Positioning
29432-29436	1" x 2', 3', 4', 5', 6'	Nylon Web	Single	Centurion Snaphook, Rebar hook	Positioning

**ADJUSTABLE  
FROM  
3' - 6'**



29506



34406

PART #	DESCRIPTION	MATERIAL	CONNECTORS	FEATURES
29506	1" x 6'	Nylon Web	Centurion Snaphook each end	Positioning, Adjustable from 3'-6'
34406	5/8" x 6'	Nylon Rope	Snaphook	Carabiner included

Harnesses

Connecting  
Devices

Anchorage

Kits

Rescue &  
Confined Spaces

Accessories





# Positioning Lanyards

Quick-Adjustable Rope Positioning

**ORDER NOW!**

Featuring our Positioning Lanyards...  
Stitched with the finest rope & threads.  
Made in the U.S.A.

**INCLUDES CARABINER**

Colors may vary, subject to change

**ROPE PROTECTOR**

34496

34416

Polyester and Nylon Kernmantle rope  
Steel Carabiners  
Aluminum adjuster  
1/2" gate opening carabiner  
Tower / Industrial / Construction  
Positioning Lanyard - for positioning only - separate fall arrest lanyard required  
Maximum load 3600 lbs



PART #	DESCRIPTION	MATERIAL	CONNECTORS	FEATURES
34416 (pic. featured)	5/8" x 6'	Kernmantle Rope	Captive Eye Carabiner	Carabiner included
34496 (pic. featured)	1 / 2 " x 6'	Kernmantle Rope	Captive Eye Carabiner	Aluminum sliding adjuster
34498 (listed only)	1 / 2 " x 8'	Kernmantle Rope	Captive Eye Carabiner	Aluminum sliding adjuster





# Retractable

## Connecting Devices



22507



22508



22511

PART #	DESCRIPTION	MATERIAL	CONNECTORS	FEATURES
22507	7'	Aluminum housing	Forged Steel snaphook/3.6M gate	Swivel Top connector/Snaphook/Carabiner included
22508	7' - Dual	Aluminum housing	Forged Steel snaphook/3.6M gate	Swivel Top connector/Snaphook/Carabiner included
22511	11'	Aluminum housing	Forged Steel snaphook/3.6M gate	Swivel Top connector/Snaphook/Carabiner included



22520



22530



22550

PART #	DESCRIPTION	MATERIAL	CONNECTORS	FEATURES
22520	20'	Thermoplastic housing	3/16" galvanized steel cable	Aluminum Swivel Snaphook Top/Carabiner included
22530	30'	Thermoplastic housing	3/16" galvanized steel cable	Aluminum Swivel Snaphook Top/Carabiner included
22550	50'	Thermoplastic housing	3/16" galvanized steel cable	Aluminum Swivel Snaphook Top/Carabiner included

Cable Self-Retracting Device

Harnesses

Connecting Devices

Anchorage

Kits

Rescue & Confined Spaces

Accessories





*This is how we do it!*

**RFID**

# EZE-TRAC<sup>®</sup>

## Elk River's RFID Tracking & Inventory Control

Elk River is pleased to announce the availability of RFID tracking on most products.

Easy as 1-2-3.

1. RFID equipped products have a tag. Additional tags can be purchased to tag existing equipment
2. Scan the product with Elk River readers, or download the app for your smart phone.
3. Track the product with your computer or smart phone.

**See  
Pg. 46  
for  
details!**

**1 tag.**

**Accurate Equipment  
Identification with  
RFID Tags**



part #  
99302

**2**

**scan.**

**Industrial Scanners  
Inspect & Manage  
Equipment Anywhere**



part #  
99301



part #  
99300

**3**

**track.**

**Cloud Database  
is Always Accessible  
and Up to Date**



To download App for phone - scan QR Code

**Track Equipment  
Streamline Inspections  
Automate Documentation**



Customer Service 800.633.3954 Or Visit [www.elkriver.com/eze-trac](http://www.elkriver.com/eze-trac)



## GAC Slings and EZE-man® Slings



13604/13610

SLINGS



26770 - 26782



26793 - 26796

PART #	DESCRIPTION	MATERIAL	FEATURES
13604	1/4" x 4' Cable Sling	Vinyl coated galvanized aircraft cable	2" and 3" Forged O-Rings
13606	1/4" x 6' Cable Sling	Vinyl coated galvanized aircraft cable	2" and 3" Forged O-Rings
13608	1/4" x 8' Cable Sling	Vinyl coated galvanized aircraft cable	2" and 3" Forged O-Rings
13610	1/4" x 10' Cable Sling	Vinyl coated galvanized aircraft cable	2" and 3" Forged O-Rings

PART #	DESCRIPTION	MATERIAL	FEATURES
26770	1-3/4" x 12" with two D-rings	Nylon & Polyester Web	Full length Wearpad
26771	1-3/4" x 18" with two D-rings	Nylon & Polyester Web	Full length Wearpad
26772	1-3/4" x 2' with two D-rings	Nylon & Polyester Web	Full length Wearpad
26773	1-3/4" x 3' with two D-rings	Nylon & Polyester Web	Full length Wearpad
26774	1-3/4" x 4' with two D-rings	Nylon & Polyester Web	Full length Wearpad
26775	1-3/4" x 5' with two D-rings	Nylon & Polyester Web	Full length Wearpad
26776	1-3/4" x 6' with two D-rings	Nylon & Polyester Web	Full length Wearpad
26778	1-3/4" x 8' with two D-rings	Nylon & Polyester Web	Full length Wearpad
26782	1-3/4" x 12' with two D-rings	Nylon & Polyester Web	Full length Wearpad
26793	3" x 3' with web eye and D-ring	Nylon & Polyester Web	Full length Wearpad
26794	3" x 4' with web eye and D-ring	Nylon & Polyester Web	Full length Wearpad
26795	3" x 5' with web eye and D-ring	Nylon & Polyester Web	Full length Wearpad
26796	3" x 6' with web eye and D-ring	Nylon & Polyester Web	Full length Wearpad

Harnesses

Connecting Devices

Anchorage

Kits

Rescue & Confined Spaces

Accessories





# Fall Rated Carabiners



13180  
5-1/4"x2-15/16"x3/4"  
Case Qty 25



13190  
5-1/4"x2-15/16"x3/4"  
Case Qty 25



13195  
5-9/16"x3-3/16"x1"  
Case Qty 25  
Aluminum



17237 w/pin  
9-5/16" x 5-3/16" x 2"  
Case Qty: 12  
Aluminum



17420 w/pin  
9-1/4"x5-3/16"x2"  
Case Qty: 25



17426 w/pin  
8-11/16"x5-9/16"x2-1/8"  
Case Qty: 25



17435 w/pin  
7"x11/16"x1-13/16"  
Case Qty: 25  
Side Swing



17440  
5-1/8"x3-7/16"x1"  
Case Qty: 25



17442 w/pin  
4-13/16"x3-5/16"x1"  
Case Qty: 25  
Aluminum



17443 w/pin  
4-7/8"x3-1/8"x1"  
Case Qty: 25



17444 w/pin  
4-7/8"x2-13/16"x1"  
Case Qty: 25  
Aluminum



17448 w/pin  
4-1/16"x3-3/16"x1-3/32"  
Case Qty: 25



17450  
4-3/16"x2-1/2"x11/16"  
Case Qty: 25



17451 w/pin  
4-3/8"x2-11/16"x3/4"  
Case Qty: 25



17460 w/pin  
7-1/8"x4-1/2"x1-1/8"  
Case Qty: 25

**STRENGTH  
FOR YOUR  
SAFETY...  
VARIETY  
YOU NEED!**

"Dimensions are Approximate"



# Fall Rated Hooks

Anchorage

Harnesses

Connecting  
Devices

Anchorage

Kits

Rescue &  
Confined Spaces

Accessories


\*Dimensions are Approximate\*



13101  
5-13/16"x13/16"x1-3/16"  
Case Qty 24



13450  
9-3/4"x13/16"x1-3/16"  
Case Qty 25




13321  
6"x3/4"x1"  
Case Qty 25




13206  
9-13/16"x5-5/16"x  
2-3/8"x1-3/16"  
Case Qty 25



13218  
9-5/16" x 4-15/16"  
x 2-3/8" x 1"  
Case Qty 25




13314  
7-3/16"x2-3/8"x3/4"  
Case Qty 12




13121  
7-1/2"x2-3/8"x3/4"  
Case Qty 12



13329  
11-9/16" x 4-7/8"  
x 2-3/8" x 1"  
Case Qty 25



13400



13420



13425



29701



29741



29761

## Rebar Chain & Web Assemblies & Tower Positioning

PART #	DESCRIPTION	MATERIAL	LEGS	FEATURES	STANDARD
13400	Tower Positioning	Forged Alloy Steel Yellow Zinc coating	X	2-1/4" gate opening swivel hook, 3/4" gate opening carabiner, 3/4" gate opening, auto-locking separator snaphook	ANSI Z359.3
13420	Tower/Industrial	Steel	Chain / Two	Rebar hook, snaphook on each leg/adjuster	ANSI Z359.3
13425	Tower/Industrial	Steel	Chain / Two	Swivel rebar hook, snaphook on each leg/adjuster, swivel	ANSI Z359.3
29701	Tower Positioning	Nylon Web/Steel	X	Swivel rebar hook, 3.6M gate 3/4" throat opening auto-locking separator snaphook, 3.6M gate / adjuster, swivel	ANSI Z359.3
29741	Tower/Industrial	Nylon Web	Two	3,600 lb rebar hook 3,600 lb snaphook on each leg / other lengths available	ANSI Z359.3
29761	Tower/Industrial	Nylon Web	Two	Swivel rebar hook, 3.6M gate / other lengths available snaphook each leg, 3.6M gate	ANSI Z359.3



## Wire and Rope Grabs

PART #	DESCRIPTION	CONNECTORS	FEATURES
19101	1/2" Rope Grab	For use with 1/2" kernmantle rope	3' Energy Absorbing Lanyard
19401	3/8" Wire Cable Grab	Auto-Twist Lock Carabiner	Anti-inversion Attachments, Carabiner
19402	5/16" Wire Cable Grab	Auto-Twist Lock Carabiner	Anti-inversion Attachments, Carabiner



## Rope Grabs

PART #	DESCRIPTION	CONNECTORS	FEATURES
19260	5/8" Trailing Rope Grab	1-1/4" ring	Anti-Inversion, Anti-Panic
19273	5/8" Rope Grab with 1" x 3' ZORBER®	Centurion Ssnaphook	Attached Lanyard



## Ascender/Descender Devices

PART #	DESCRIPTION
19700	Left hand ascender, 8-1/2" x 3-1/4", for rope sizes 3/8" and 1/2"
19701	Right hand ascender, 8-1/2" x 3-1/4", for rope sizes 3/8" and 1/2"






## Nylon Rope Lifelines

PART #	DESCRIPTION	MATERIAL	CONNECTORS
24725	5/8" x25'	Nylon Rope	Snaphook, thimble eye
24750	5/8" x50'	Nylon Rope	Snaphook, thimble eye
24775	5/8" x75'	Nylon Rope	Snaphook, thimble eye
24800	5/8" x100'	Nylon Rope	Snaphook, thimble eye
34125	5/8" x25'	Nylon Rope	Snaphook on each end
34150	5/8" x50'	Nylon Rope	Snaphook on each end
34175	5/8" x75'	Nylon Rope	Snaphook on each end
34200	5/8" x100'	Nylon Rope	Snaphook on each end



## Construction Plus® Polyester / Polypropylene Rope Lifelines

PART #	DESCRIPTION	MATERIAL	CONNECTORS
49811	5/8" x25' CP+Rope	Polyester/Polypropylene Rope	Snaphook on each end
49812	5/8" x50' CP+Rope	Polyester/Polypropylene Rope	Snaphook on each end
49813	5/8" x75' CP+Rope	Polyester/Polypropylene Rope	Snaphook on each end
49814	5/8" x100' CP+Rope	Polyester/Polypropylene Rope	Snaphook on each end
49821	5/8" x25' CP+Rope	Polyester/Polypropylene Rope	Snaphook, Thimble Eye
49822	5/8" x50' CP+Rope	Polyester/Polypropylene Rope	Snaphook, Thimble Eye
49823	5/8" x75' CP+Rope	Polyester/Polypropylene Rope	Snaphook, Thimble Eye
49824	5/8" x100' CP+Rope	Polyester/Polypropylene Rope	Snaphook, Thimble Eye
49901	5/8" x30' CP+Rope, attached rope grab	Polyester/Polypropylene Rope	Snaphooks
49902	5/8" x50' CP+Rope, attached rope grab	Polyester/Polypropylene Rope	Snaphooks
60902	4" x 2' Ropeguard	Nylon Web	
60903	4" x 3' Ropeguard	Nylon Web	
60904	4" x 4' Ropeguard	Nylon Web	



Harnesses

Connecting Devices

Anchorage

Kits

Rescue & Confined Spaces

Accessories





## Reusable Roof & Concrete Anchorage Connectors

PART #	DESCRIPTION	FEATURES
13052	Reusable roof anchor / includes nails	Includes fasteners
13053	Reusable roof anchor / includes screws	Includes fasteners
13080	3/4" Removable concrete anchor	Reusable
13083	3/4" precast concrete & steel toggle anchor	Reusable

13052



13053



13080



13083



## Portable Anchorage Connectors

PART #	DESCRIPTION	FEATURES
13020	D-Ring Anchorage Connector, 1/2"x13	Grade 8 bolt
13070	Swivel Anchor with Concrete Bolt	Swivel D-ring
13071	Swivel Anchor Concrete Bolt measures 5"	6-pack replacement bolt
13072	Swivel Anchor with Steel Bolt	Swivel D-ring
13073	Swivel Anchor Steel Bolt measures 4"	6-pack replacement bolt

13020



13070



13072





## Portable Anchorage Connectors

PART #	DESCRIPTION	FEATURES
13000	Rope Termination Plate	Six hole configuration
13026	I-Beam Slider with adjuster button on each end, fits 3-1/2" to 14" I-Beams	Adjustable
13055	Vertical/Fixed Beam Clamp	Fits 4" - 14" beam
13060	Drop Through Anchor	6" diameter steel plate
13065	Beam Trolley	Fits 3" - 10" beam

13000



**STRONG,  
DURABLE,  
& SAFE!**

13060



13026



13065



13055



Harnesses

Connecting  
Devices

Anchorage

Kits

Rescue &  
Confined Spaces

Accessories



### Roofer's Kit

- CP + 48103 one D-ring harness
- 5/8" x 30' CP + Lifeline with attached rope grab & attached 2' ZORBER® web lanyard with Snaphook
- Reusable roof anchor with nails
- Carry-all Bucket

SIZES	PART #
One size fits most	
S-XL	05000



### Roofer's Kit

- CP + 48103 one D-ring harness
- 5/8" x 50' CP + Lifeline with Snaphook / thimble
- 5/8" x 3' trailing rope grab with attached 3' ZORBER® Snaphook
- Reusable roof anchor with nails
- Carry-all Bucket

SIZES	PART #
One size fits most	
S-XL	05003



**ORDER NOW!**

Roofing  
**KITS**

### Roofer's Kit

- CP + 48103 one D-ring harness
- 5/8" x 50' CP + Lifeline with thimble & attached 2' Zorber® Snaphook
- Reusable roof anchor (NO NAILS)
- Carry-all Bucket

SIZES	PART #
One size fits most	
S-XL	05006



### Roofer's Kit

- CP + 48153 one D-ring harness
- 5/8" x 50' CP + Lifeline with Snaphook / thimble
- 5/8" x 3' trailing rope grab with attached 3' ZORBER® Snaphook
- Reusable roof anchor with nails
- Carry-all Bucket

SIZES	PART #
One size fits most	
S-XL	05009





## Fall Protection Kit

- 48103 CP + Harness with one D-ring
- 6' CP + NoPac® Energy-Absorbing Web Lanyard with Snaphooks each end
- Carry-all Bag

SIZES	PART #
One size fits most	
S-XL	05501



## Aerial Lift Kit

- CP + 48175 one D-ring Harness
- Attached Adjustable 3' to 5' ZORBER® Lanyard with Snaphook
- Carry-all Bag

SIZES	PART #
One size fits most	
S-XL	05510



## Fall Protection Kit

- 48153 CP + Harness with one D-ring
- 6' CP + NoPac® Energy-Absorbing Web Lanyard with Snaphooks each end
- Carry-all Bag

SIZES	PART #
One size fits most	
S-XL	05502



## Aerial Lift Kit

- Freedom® Harness
- Attached 1" x 6' ZORBER® Energy Absorbing Web Lanyard with Snaphook
- Carry-all Bag

SIZES	PART #
One size fits most	
S-L	05512
L-XL	05514



## Fall Protection Kit

- 48303 CP + Harness with three D-rings
- 6' CP + NoPac® Energy-Absorbing Web Lanyard with Snaphooks each end
- Carry-all Bag

SIZES	PART #
One size fits most	
S-XL	05503



## Fall Protection Kit

- 48113 CP + Harness with one D-ring
- Attached 6' CP + NoPac® Energy-Absorbing Web Lanyard with Snaphooks each end
- Carry-all Bag

SIZES	PART #
One size fits most	
S-XL	05593



## Fall Protection Kit

- 48353 CP + Harness with three D-rings
- 6' CP + NoPac® Energy-Absorbing Web Lanyard with Snaphooks each end
- Carry-all Bag

SIZES	PART #
One size fits most	
S-XL	05504



Harnesses

Connecting Devices

Anchorage

Kits

Rescue & Confined Spaces

Accessories





**Tripod Head**—Powder Coated Cast Aluminum; contains 2 spring loaded pulleys and 2 eye bolts

**Legs** - Cast Aluminum; **auto lock in the open position**; foot strap not required; spiked feet pivot for soft or hard surfaces

**Winch**—Galvanized and Carbon Steel; Galvanized Wire Rope; Automatic Brake; Swivel Steel Snaphook

**Fall Arrest Block w/Recovery** - Aluminum Housing; Galvanized Wire Rope; Swivel Steel Hook; Engageable Gear for Emergency Recovery

**Fall Arrest Block** - Thermoplastic Housing; Galvanized Wire Rope 50'; Swivel Steel Hook; Steel Bracket  
**Bracket** - Powder Coated Aluminum; Anti-slip; Hinged lid and screw design

**Maximum Height** - 8'-4"  
**Headroom Maximum Height** - 7'-5"  
**Collapsed Length** - 6'-2" Folded



Part # 22362



Part # 05630



Part # 21165



PART #	DESCRIPTION	MATERIAL
05630	Tripod	Aluminum Alloy
21165	Winch	Galvanized & Carbon Steel
22362	Self Retracting Device w/ Recovery	Aluminum Housing



Replacement  
Parts Sold  
Separately.

See page 33  
for more  
information  
Part #22550

Part #25999

See page 16  
for more  
information  
Part #42559

Part # 05632

PART #	DESCRIPTION	MATERIAL
05632	Tripod	Aluminum Alloy
22550	Retractable	See page 33
25999	Bridle	See page 16
42559	Universal Retrieval Harness	See page 16

Harnesses

Connecting  
Devices

Anchorage

Kits

Rescue &  
Confined Spaces

Accessories



## Tool Lanyards, Bags, & More

### Premium Tool Lanyard

- Compact Lightweight design
- 31" length extends to 56.6"
- Rated for tools up to 15 lbs.
- Hi-vis orange yellow
- Captive eye carabiner with screw gate



60014

### Tool Lanyard

- Compact Lightweight design
- 31" length extends to 56.6"
- Rated for tools up to 15lbs
- Carabiner included



60015



60017

### Trauma Relief Strap

- 1" polyester web, nylon case
- Compact & Lightweight
- 1" wide with hook & cambuckle for adjustable loop length.



85007

### Phone/Radio Case

3" wide with elastic sides to hold large phones. Notched top to fit radios with antenna. Pass through loop for easy belt attachment. Rugged hook/loop closures for attachment to shoulder strap.



85008

### Universal Bosun's Seat

85809



- 12" x 24" Platform of 1" Laminated Plywood
- 4 point nylon suspension system, D-ring attachment point
- Waistbelt, two bucket snaps each end for attaching equipment
- Universal Size / S-L

### D-Ring Extension

14702-14703

- 1-3/4" Nylon Web
- Heavy duty snaphook
- 12" AND 18" Long



### RFID Accessories



USB STICK READER

99300



DESKTOP READER

99301



3 PACK OF RFID TAGS

99302



# Tool Lanyards, Bags, & More

# Accessories

## Bags

*Keeping it together...*



84221



84302-84304



84403



88010

PART #	DESCRIPTION	FEATURES
84221	Sturdy red bag, 11" x 24" x 14" deep	Weather resistant, carry all your fall protection equipment
84302	Rope Bag, 12" x 12" deep	Holds up to 350' (106M) of 1/2"(12mm) KM Rope
84303	Rope Bag, 12" x 16" deep	Holds up to 450' (137M) of 1/2"(12mm) KM Rope
84304	Rope Bag, 12" x 20" deep	Holds up to 550' (167M) of 1/2"(12mm) KM Rope
84403	White cotton duck bucket, 12" x 15" with plastic bottom	6" x 6" inside pocket, brass snaphook on rope handle
88010	Heavy-duty Nylon Bag, 22.5" x 11" x 11" deep	Carry handles, shoulder strap

PART #	DESCRIPTION	FEATURES	CAPACITY
84520	Red Canvas Bolt Bag / 4" x 10" x 9" deep	Belt tunnel	15 lbs
84521	Red Canvas Bolt Bag / 4" x 10" x 9" deep	Belt tunnel, drawstring	15 lbs
84522	Canvas Deep Bolt Bag / 4" x 14" x 9" deep	Deep drawstrings, belt tunnel, inside pocket	25 lbs
84523	Heavy Duty Bolt Bag / 3" x 13" x 10" deep	Triple reinforced bottom, tool rings, inside pocket	25 lbs
88199	White Duck Bolt Bag / 8" x 4" x 10" deep	Inside pocket, belt snap straps	15 lbs

## Bolt Bags



84520



84521



84522



84523



88199

Harnesses

Connecting Devices

Anchorage

Kits

Rescue & Confined Spaces

Accessories





## Black Replacement Belts

- Polyester web

SIZES	PART #
S	01551
M	01552
L	01553
XL	01554
2XL	01555
3XL	01556



01551 – 01556

## WorkMaster® Replacement Belts

- Nylon web

SIZES	PART #
S	02001
M	02002
L	02003
XL	02004
2XL	02005
3XL	02006
4XL	02007



02001 – 02007

## Miner's Body Belts

- Reinforced, 3" Backpad
- Nylon & Polyester Web

SIZES	PART #
S	03191
M	03192
L	03193
XL	03194



03191 – 03194

## Double D Body Belts

- 3" pad and 2 D-rings
- Nylon web

SIZES	PART #
S	03201
M	03202
L	03203
XL	03204



03201 – 03204

## Eagle® DL Body Belts

- 5" backpad, 2 D-rings
- Removable belt

SIZES	PART #
S	03281
M	03282
L	03283
XL	03284
2XL	03285
3XL	03286



03281 – 03286

Work Belts  
Work Belts  
Work Belts  
Work Belts

Work Belts



## Back SUPPORT

### Freedom® Harness with Safety Vest



- Three D-rings: at back and hips
- Mating buckle on chest and leg straps
- Freedom Harness with High-visibility Orange or Safety Green vest
- One size fits most
- ANSI Class 2 Vest

SIZES	PART #
(Safety Orange) M-XL	55393
(Safety Green) M-XL	55394



### Back EZE-man®



SIZING CHART FOR BACK-EZE	
Size	Waist Measurements
	Inches
XS	22-26
S	26-30
M	30-34
L	34-38
XL	38-42
2XL	42-46
3XL	46-50
4XL	50-54
5XL	54-58
6XL	58-62

PART#	FEATURES	SIZES
40041	Safety Orange	S
40042	Safety Orange	M
40043	Safety Orange	L
40044	Safety Orange	XL
40045	Safety Orange	2XL
40046	Safety Orange	3XL

Strength/Durability-  
Strength/Durability-  
Strength/Durability-  
Strength/Durability-

40041-40046

### Back EZE-man®



PART#	FEATURES	SIZES
40001	With Suspenders	S
40002	With Suspenders	M
40003	With Suspenders	L
40004	With Suspenders	XL
40005	With Suspenders	2XL
40006	With Suspenders	3XL

*We've got your back!*

40001 - 40006





## DXH44011-5 Series

- Small to 2X-Large
- Three angled aluminum D-Rings on back and hips
- Aluminum Quick-connect buckle on chest
- Tongue buckle leg straps
- Breathable padding on back/shoulder, waist and leg straps
- Pull down adjusters on shoulder straps
- Five-inch backpad
- Removable tool belt
- Hydrophobic webbing



### DXSL4112

- Flex Twin leg
- Stretches from 4.5-6'
- Steel hook and Rebar hooks

## DXH44021-6 Series

- Small to 3X-Large
- Three D-rings: at back and hips
- Quick-connect buckles on chest and leg straps
- Heavy Duty Tongue buckle shoulder adjusters
- Padded shoulders
- Five-inch backpad
- Hydrophobic webbing
- Removable tool belt



DEWALT® and the DEWALT® Logo are trademarks of the DEWALT® Industrial Tool Co., or an affiliate thereof and are used under license.







## DXH44049

- Universally Sized
- One D-Ring on back
- Mating buckle on chest
- Tongue buckle Leg Straps
- Hydrophobic webbing

*Introducing  
the*

**DEWALT**

*Line Of  
Fall  
Protection*



## DXSL4111

- Flex Single Leg
- Stretches from 4.5-6'
- Steel Snaphook and Rebar hook



## DXH44031-6

- Small to 3X-Large
- Four Steel D-rings: at back, hips, and chest
- Quick-connect on chest strap
- Tongue buckles on leg straps
- Shoulder adjusters
- Padded shoulders
- X brace D-ring stabilizer
- Hydrophobic webbing
- Removable tool belt
- 6" Back pad

*Tradition.  
Safety.  
Quality.*

DEWALT® and the DEWALT® Logo are trademarks of the DEWALT® Industrial Tool Co., or an affiliate thereof and are used under license.





# ALPHA-NUMERIC INDEX

## ACCESSORIES

BACK-EZE	49
BAGS / BOLT BAGS	47
BOSUN'S SEAT	46
D-RING EXTENSION	46
FREEDOM HARNESS WITH SAFETY VEST	49
PHONE/RADIO CASE	46
PREMIUM TOOL LANYARD / TOOL LANYARD	46
RFID ACCESSORIES	46
TRAUMA RELIEF STRAP	46
WORK BELTS	48

## ANCHORAGE

BEAM TROLLEY	41
CONSTRUCTION PLUS	
POLYESTER -- POLYPROPYLENE ROPE LIFELINES	39
ASCENDER AND DECENDER DEVICES	38
DROP THROUGH ANCHOR	41
EZE MAN SLINGS	35
FALL RATED CARABINERS	36
FALL RATED HOOKS	37
GAC SLINGS	35
I-BEAM SLIDER / VERTICAL-FIXED BEAM CLAMP	41
NYLON ROPE LIFELINES/ROPEGUARDS	39
PORTABLE ANCHORAGE CONNECTORS	40-41
REBAR CHAIN AND WEB ASSEMBLIES AND TOWER POSITIONING	37
ROBE GRABS	38
ROOF AND CONCRETE ANCHORAGE CONNECTORS	40
ROPE TERMINATION PLATE	41
WIRE CABLE GRABS	38

## CONNECTING DEVICES

CHOKER ZORBER	28
SOFT LOOP ZORBER	29
FALL CLEARANCE CALCULATION	21
FLEX ZORBER	29
FLEX-NOPAC ENERGY-ABSORBING WEB LANYARDS	23-24
HOW TO INSPECT A LANYARD	21
NOPAC ENERGY-ABSORBING WEB LANYARDS	22
QUICK-ADJUSTABLE ROPE POSITIONING LANYARD	31-32
RETRACTABLE / CABLE SELF RETRACTING DEVICE	33
RES-QUE NOPAC	28
ZX-12 ZORBER	28
ZORBER TIE BACK	29
ZORBER ENERGY-ABSORBING WEB LANYARDS	25-27
ZORBER ENERGY-ABSORBING CABLE LANYARD	30

## DEWALT

HARNESSES / CONNECTING DEVICES	50-51
--------------------------------	-------

## HARNESSES

CONSTRUCTION PLUS SERIES	18-19
OIL RIGGER	14
EAGLE LITE	10
EAGLE TOWER LX	9
EAGLE X2	8
EAGLE TOWER	8
FIREFLY PLATINUM	11
FREEDOM FLEX / FREEDOM FLEX QC	15
IRON EAGLE	9
KEVLAR	20
TOWER MASTER	13
ONYX PLATINUM	11
PEREGRINE PLATINUM / KESTREL PLATINUM	5
PEREGRINE RAS PLATINUM	4
PLATINUM OIL RIGGER	3
RAVEN PLATINUM	6
RAVEN PLATINUM EX	6
RAVEN TOWER	7
UNIVERSAL RETRIEVAL	16
UNIVERSAL SERIES	17
WIND EAGLE	10
WORK MASTER	12

## KITS

AERIAL LIFT KIT	43
FALL PROTECTION KITS	43
ROOFER'S KIT	42

## MISC.

CUSTOMER SERVICE	INSIDE BACK CATALOG
GUIDES AND SYMBOLS	2
HOW TO DON A HARNESS	2
INTRODUCING NEW OWNER	55
INSIDE / OUTSIDE SALES	INSIDE BACK CATALOG
MEMBERSHIPS / TRADE GROUPS	INSIDE FRONT COVER
RFID -- THIS IS HOW WE DO IT!	34

## RESCUE

PRO SERIES / CONFINED SPACE	44-45
-----------------------------	-------



# INDEX

PART #	PAGE	PART #	PAGE	PART #	PAGE	PART #	PAGE	PART #	PAGE	PART #	PAGE
01551	48	05510	43	13425	37	24725	39	34125	39	36358	26
01552	48	05512	43	13450	37	24750	39	34150	39	36359	26
01553	48	05514	43	13604	35	24775	39	34175	39	36527	26
01554	48	05593	43	13606	35	24800	39	34200	39	36528	26
01555	48	05630	44	13608	35	25999	16	34406	31	36806	27
01556	48	05632	45	13610	35	26770	35	34416	32	36827	27
02001	48	11306	30	14702	46	26771	35	34496	32	36828	27
02002	48	11506	30	14703	46	26772	35	34498	32	36887	27
02003	48	11526	30	17237	36	26773	35	35324	22	36897	27
02004	48	13000	41	17420	36	26774	35	35326	22	36926	28
02005	48	13020	40	17426	36	26775	35	35346	22	36936	28
02006	48	13026	41	17435	36	26776	35	35374	22	36940	29
02007	48	13052	40	17440	36	26778	35	35376	22	36941	29
03191	48	13053	40	17442	36	26782	35	35386	22	36966	29
03192	48	13055	41	17443	36	26793	35	35401	29	36967	29
03193	48	13060	41	17444	36	26794	35	35406	23	40001	49
03194	48	13065	41	17448	36	26795	35	35416	23	40002	49
03201	48	13070	40	17450	36	26796	35	35417	23	40003	49
03202	48	13071	40	17451	36	28013	31	35427	23	40004	49
03203	48	13072	40	17460	36	28014	31	35428	24	40005	49
03204	48	13073	40	19101	38	28015	31	35477	24	40006	49
03281	48	13080	40	19260	38	28016	31	35478	24	40041	49
03282	48	13083	40	19273	38	29022	31	35487	24	40042	49
03283	48	13101	37	19401	38	29023	31	35488	24	40043	49
03284	48	13121	37	19402	38	29024	31	35716	24	40044	49
03285	48	13180	36	19700	38	29025	31	35824	28	40045	49
03286	48	13190	36	19701	38	29026	31	35826	28	40046	49
05000	42	13195	36	21165	44	29432	31	36026	28	42109	17
05003	42	13206	37	22362	44	29433	31	36036	28	42159	17
05006	42	13218	37	22507	33	29434	31	36263	25	42309	17
05009	42	13314	37	22508	33	29436	31	36264	25	42359	17
05501	43	13321	37	22511	33	29506	31	36266	25	42559	16
05502	43	13329	37	22520	33	29701	37	36267	25	47149	15
05503	43	13400	37	22530	33	29741	37	36356	26	47169	15
05504	43	13420	37	22550	33 & 45	29761	37	36357	26	47349	15









*Elk River works continually to improve our products, processes, and quality to maintain customer satisfaction, safety and expectations.*

I am Donnie Thomas, President of Elk River. This company continues to offer the same three simple rules we have had since our beginning:

1. Manufacture the best quality products available.
2. Maintain a financially sound position in order to be a reliable business partner and employer.
3. To create an environment that promotes both creativity and productivity.

These simple but effective rules have allowed us to be the company we are today. We wish to offer you the best in quality and reliability of personal fall protection in the market place. Using our motto from years gone by: "Combining Modern Technology with Old Fashioned Values.®"

*I have worked at Elk River for the past 15 years and was blessed to be able to purchase the company in March of 2018. This is my family and we will continue Elk River as a family owned business, as it has been for the past 30 years.*







*Graphic Designer  
and  
Marketing*

*Michelle-*



*Administrative  
Assistant  
and  
Accounts  
Payable*

*Debi-*

Elk River  
office-  
We are  
a team  
with care,  
trust,  
& respect  
for our  
customers  
&  
one another.



*General Manager*

*Mike-*



*Quality  
and  
Testing*

*Delisa-*



*IT*

*Erik-*



*Accounts  
Receivable*

*Carolyn-*

P. O. Box 1770, Cullman, AL 35056-1770  
256.739.5959 • 800.633.3954 • 256.739.3105 fax  
www.elkriver.com • sales@elkriver.com



Inside Sales.  
Safety just got stronger.  
Protecting you just got easier.



Denise



Debra



Karen



Adele

CUSTOMER  
FRIENDLY  
SUPPORT  
INNOVATIVE  
POSITIVE  
PRECISE  
TIMELY

Our Elk River team is dedicated & determined  
to assist & provide our customers with the best safety products.  
We truly believe customer service and support is the first step to safety.

P. O. Box 1770, Cullman, AL 35056-1770  
256.739.5959 • 800.633.3954 • 256.739.3105 fax  
www.elkriver.com • sales@elkriver.com





OutSide Sales  
The Leader's Code.

My first responsibility as a leader is to manage  
my own words and behavior.  
I am always on stage...













Made in the U.S.A.

# Elk River

Personal Fall Protection












*Made in the U.S.A.*







*we protect what you love...*



**Elk River**

*Personal Fall Protection*

P. O. Box 1770, Cullman, AL 35056-1770  
256.739.5959 • 800.633.3954 • 256.739.3105 fax  
www.elkriver.com • sales@elkriver.com

P/N 99019